



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

2681

#23

LB

10/15/03

In re Application of:

Kenji YOSHIOKA et al.

Serial No. 09/492,288

Filed: January 27, 2000

For: EMERGENCY REPORTING  
SYSTEM AND TERMINAL  
APPARATUS THEREIN

Art Unit: 2681

Examiner: Nguyen, David Q.

Atty Docket: 0102/0097

RECEIVED

SEP 30 2003

Technology Center 2600

**RESPONSE**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

The following is a response to the Office Action dated August 12, 2003.

In rejecting the claims as being obvious over the prior art, the examiner has now relied upon four new references for rejecting the different embodiments of the invention, as exemplified by independent claims 1, 9, 17, 20, 21 and 22. Since the main reference the examiner relied upon continues to be Timm et al. U.S. patent 5,890,061, which has been discussed at length in the previous responses, as well as the interview dated June 4, 2003, this response will be directed only to the newly cited reference, as they are combined with Timm by the examiner for rejecting the independent claims.

Independent claims 1, 20 and 22 were rejected under 35 U.S.C. 103(a) as being obvious over the Timm U.S. patent 5,890,061 in combination with Tendler U.S. patent 5,736,962 and further in view of Goldberg U.S. patent 4,829,565.